



# Cellcomprime

**Powered  
by Vodafone**


Advanced GSM Intercom

- Calls your home phone and mobiles on roll-over.
- Never miss a visitor with mobile calling.
- Works with any standard contract or Pre-Pay GSM Micro SIM card.
- Comes with optional Vodafone™ 12 month contract SIM, unlimited calls and texts for £7.50/month + VAT\* (terms and conditions apply, zone 1 Europe only).
- Free home owner app to trigger gates, set up auto opening and closing times, create new access codes, receive notifications on entry, etc.
- Free installer app for remote programming and diagnostics.



**APP FEATURES**

- Create a list of all your installs for later editing or diagnostics.
- Complete menu of all parameters for editing by app
- Program auto opening and closing times.
- Program phone numbers easily!



\*app images for illustration purpose

Technical Details			
Dial Out Numbers	4	Relays	2
Permanent Codes	200	Relay Type	N/C and N/O
Time Restricted Codes	20	Relay Load	2 amps 24v ac max
Temporary Codes	30	Power Consumption	300mA on dial out, 2amp peak demand
Automatic Trigger Events per Week	40	Modem Models	4G Europe, 4G USA, 4G AUS/NZ
Caller ID Numbers	100	Tag/Card Type	125kHz fixed digit code card, passive type
Time Restricted Caller ID Numbers	20	Tag/Card Quantity	200 permanent, 20 time restricted, 30 temporary users
Power Supply	24v dc (24v dc adaptor included)		

# Cellcomprime

Advanced GSM Intercom

Architectural NO TOUCH Panel

<p>Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim and no touch call point sensor. Modern blue backlighting.</p>	PRIME6-AB-NT	<b>2G</b>	Europe *limited connectivity
	PRIME6-AB/4GE-NT	<b>4G</b>	Europe
	PRIME6-AB/4GA-NT	<b>4G</b>	USA
	PRIME6-AB/4GSA-NT	<b>4G</b>	Australia & NZ



Architectural NO TOUCH Panel with prox

<p>Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim. With integrated Prox reader and no touch call point sensor. Modern blue backlighting.</p>	PRIME6-PX-AB-NT	<b>2G</b>	Europe *limited connectivity
	PRIME6-PX-AB/4GE-NT	<b>4G</b>	Europe
	PRIME6-PX-AB/4GA-NT	<b>4G</b>	USA
	PRIME6-PX-AB/4GSA-NT	<b>4G</b>	Australia & NZ


# Cellcomprime

Advanced GSM Intercom

NO TOUCH SENSOR BUTTON



**BLUE** Light  
Standby



**Green** light  
Active



### Technical Details

<b>Dimensions</b>	34mm	<b>Operating Temp</b>	-20c~+55c (14-131F)
<b>Contact Rate:</b>	3A/125-250VAC	<b>Operating Humidity</b>	0-95% (relative humidity)
<b>Power</b>	12-24VDC	<b>Detection Range</b>	5-10cm
<b>Waterproof</b>	IP68	<b>LED indicator</b>	<b>BLUE</b> LED (Standby) <b>GREEN</b> (Active)