



2022

# 📱 GSM RANGE

CELLCOM PRIME, LITE & I-GATE



[WWW.AESGLOBALONLINE.COM](http://WWW.AESGLOBALONLINE.COM)

ACCESS THE FUTURE



# CELLCOM PRIME 7 7th GENERATION

## Advanced GSM Intercom

- Calls your home phone and mobiles on roll-over when visitor presses call button.
- Never miss a visitor with mobile calling.
- Works with any standard contract or Pre-Pay GSM Nano SIM card.
- Comes with optional 12 month contract SIM, unlimited calls and texts. (UK/IRE only, visit [www.aesglobaltelecom.com](http://www.aesglobaltelecom.com) to find out more).
- **NEW AES PRO APP** with Installer and homeowner capabilities.
- Optional panels with keypad, proximity reader or both.

***Did you know using our optional sims can earn you an ongoing revenue of £12 per year as long as the sim remains active? This is for each AES GSM intercom installed.***

- All our GSM intercom contain a SIM card which when activated, with your unique installer number can generate recurring revenues for you as a registered installer.
- Simply visit [www.aesglobaltelecom.com](http://www.aesglobaltelecom.com) to generate an installer code on our website. Call or email [sales@aesglobaltelecom.com](mailto:sales@aesglobaltelecom.com) to learn more information. (Terms and restrictions apply).






**FOTA – Upgrade  
firmware via SMS.**



Auto clock sync.



Store up to 4 notification  
phone numbers to receive  
an SMS (customizable)  
when relay is triggered etc



Ability to check  
Do-not-disturb  
times.



Set automatic  
gate open &  
close times.



Trigger, latch and  
unlatch SMS replies  
added. Ability to  
disable.



Bigger 2 amp  
power supply.

**4G**



High gain antenna as  
standard! Ability to view  
APN on signal level reply.



2x Relays.  
Ability to check  
Automatic  
Relay Times.

All new **improved** hardware.



Issue time  
restricted codes.



Technical Details			
<b>Dial Out Numbers</b>	4	<b>Relays</b>	2
<b>Permanent Codes/cards</b>	250	<b>Relay Type</b>	N/C and N/O
<b>Time Restricted Codes/cards</b>	250	<b>Relay Load</b>	2 amps, 24v ac max
<b>Temporary Codes/cards</b>	50	<b>Power Consumption</b>	300mA on dial out, 2amp peak demand
<b>Automatic Trigger Events per Week</b>	50	<b>Modem Models</b>	4G Europe, 4G USA, 4G AUS/NZ
<b>Caller ID Numbers</b>	250	<b>Power Supply</b>	24v dc (24v dc 2A adaptor included)
<b>Time Restricted Caller ID Numbers</b>	250		




**NEW AES PRO APP, user  
friendly. With Installer and  
homeowner capabilities.**


**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)

# PRIME7 - Kits & Part Numbers

## PRIME7-IB-EU




## PRIME7-IBK-EU




Sleek, all black call point, constructed from marine grade stainless steel, powder coated aluminium hood and gloss toughened acrylic faceplate. Panels options with keypad & non-keypad.

## PRIME7-AB-EU




## PRIME7-ABK-EU




Stylish, modern curved profile call point with blue backlighting effect and illuminated keypad option. Constructed from 100% marine grade stainless steel and toughened black gloss acrylic faceplate. Panels options with keypad & non-keypad.

## PRIME7-AS-EU



## PRIME7-ASK-EU



Stylish curved architectural model. 100% BS316 marine grade stainless steel, in modern curved profile with back lighting effect in white. Panels options with keypad & non-keypad.



## PRIME7-ARC-RBK-EU

## PRIME7-ARC-RB-EU (NON KP)


All black, keypad panel with blue ring illumination.



## PRIME7-ARC-RSK-EU

## PRIME7-ARC-RS-EU (NON KP)

Stainless-steel, keypad panel with blue ring illumination.



# CellcomProx

GSM Panels with PROX READERS



Add up to 250 cards or tags to intercom remotely by SMS text or app (50 temporary users).




Add up to 250 time restricted tags or cards by app!



The PROX panels have the same technical details as the NON prox panels.

## PROXCARD-125K-AES



- 125KHz fixed 10 digit code Card.
- Add to intercom remotely by SMS or APP.
- Also available in packs of 10 & 50.

## AES-PROX-TAG




- 125KHz fixed 10 digit code TAG.
- Add to intercom remotely by SMS or APP.
- Available in packs of 10, 25, 50 & 100.


**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)

# PRIME7 PROX - Kits & Part Numbers

## PRIME7-IBP-EU



## PRIME7-IBPK-EU




Stylish all black panel with textured powder coated aluminium hood and gloss acrylic faceplate with integrated Prox reader. Kits complete with 3 proximity cards/tags. Non-Keypad & Keypad Models.

## PRIME7-ABP-EU




## PRIME7-ABPK-EU




Stylish, modern curved profile call point with blue backlighting effect and illuminated keypad option. Constructed from 100% marine grade stainless steel and toughened black gloss acrylic faceplate with integrated Prox reader. Kits complete with 3 proximity cards/tags. Non-Keypad & Keypad Models.

## PRIME7-ASP-EU



## PRIME7-ASPK-EU



Stylish curved architectural model. Constructed from BS316 marine grade stainless steel. Complete with white illuminated push button and integrated Prox reader. Kits complete with 3 proximity cards/tags. Non-Keypad & Keypad Models.

Area code:  
 EU (Europe)  
 US (USA)  
 AU (Australia & NZ)

# CellcomPrime7


M U L T I - B U T T O N   S Y S T E M



**PRIME7-IBK2-EU**




**PRIME7-ISK2-EU**



**PRIME7-IBK3-EU**




**PRIME7-ISK3-EU**



**PRIME7-IBK4-EU**



**PRIME7-ISK4-EU**



Panels are available in all black with textured powder coated aluminium hood and gloss acrylic faceplate or full BS316 marine grade stainless steel. Both panels has white illuminated push button and keypad. Up to 4 call buttons (each button calling a different home owner).



P R O X   p a n e l s   o p t i o n s   a v a i l a b l e


# CellcomPrime7

GSM Intercom with a *no touch sensor button*




**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)

## PRIME7-ABNT-EU



— Architectural model with no touch sensor call button.

## PRIME7-ABPNT-EU



— Architectural **PROX** model with no touch sensor call button.


## NO TOUCH SENSOR BUTTON



BLUE Light Standby




Green light Active



Button Technical Details			
<b>Dimensions</b>	34mm	<b>Operating Temp</b>	-20c~+55c (14-131F)
<b>Contact Rate:</b>	3A/125-250VAC	<b>Operating Humidity</b>	0-95% (relative humidity)
<b>Power</b>	12-24VDC	<b>Detection Range</b>	5-10cm
<b>Waterproof</b>	IP68	<b>LED indicator</b>	BLUE LED (Standby) GREEN (Active)



Set automatic gate open & close times.



DDA LEDs. (Call/ relay status indicators).



Illuminated call button and keypad.



Add keypad codes by App.



Issue time restricted codes.



Visitor snapshot sent to mobile by MMS messaging.



LED strip lighting for high quality MMS snapshot.



User history log to your phone.



High gain antenna as standard!




2x Relays

**Sends out a snapshot of the caller straight to your mobile before you answer.**


### Technical Details

<b>Dial Out Numbers</b>	4	<b>Relays</b>	2
<b>Permanent Codes</b>	250	<b>Relay Type</b>	N/C and N/O
<b>Time Restricted Codes</b>	250	<b>Relay Load</b>	2 amps, 24v ac max
<b>Temporary Codes</b>	50	<b>Power Consumption</b>	400mA on dial out, 2amp peak demand
<b>Automatic Trigger Events per Week</b>	50	<b>Modem Models</b>	4G Europe, 4G USA, 4G AUS/NZ
<b>Caller ID Numbers</b>	250	<b>Power Supply</b>	24v dc (24v dc 2A adaptor included)
<b>Time Restricted Caller ID Numbers</b>	250		

### SNAP-AB-EU



### SNAP-ABK-EU



Stylish, modern curved profile call point with blue backlighting effect and illuminated keypad option. Constructed from 100% marine grade stainless steel and toughened black gloss acrylic faceplate. Keypad & non Keypad options.


**NEW AES PRO APP, user friendly. With Installer and homeowner capabilities.**



**Area code:**  
 EU (Europe)  
 US (USA)  
 AU (Australia & NZ)

# CELLCOM KEYCELL


Standalone GSM/4G Keypad System



Gate/Entrance 2




Auxiliary Keypad Unit



Gate/Entrance 3



Auxiliary Prox Reader Unit



Gate/Entrance 4



Auxiliary Prox & Keypad Unit

Master Keypad Unit



Gate/Entrance 1

All devices are connected to a master unit **which has a built in transmitter.**

- Up to **6 auxiliary units can be connected** to a master unit: Relay 1 and 2 on master unit; relays 3 to 8 on auxiliary units.
- Can have a mix of keypads & prox reader units in one set up.
- DDA LEDs on each auxiliary unit indicates correct or incorrect code/card used.
- Relay on every auxiliary unit that can be set via a dip switch.
- Keypad tones/ confirmation sound can be adjusted on auxiliary units.
- Units are wired via 5 cores of cat 5 cable.

## Technical Details

<b>Power</b>	24v d.c
<b>Current</b>	300mA/2A Peak 100mA Per Auxiliary Unit
<b>Weather Rating</b>	IP55
<b>Relay Type</b>	2 x N/C & N/O Contacts
<b>Total Permanent Keypad Codes</b>	250
<b>Total Permanent Prox Cards</b>	250
<b>Time Restricted Codes/Cards</b>	250
<b>Temporary Codes/Cards</b>	50

**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)

**Master Units:** Keypads, Prox readers & built in transmitter.



**KEY-MST-PBPK-EU**

Master unit with keypad & prox reader.




**KEY-MST-PBK-EU**

Master unit with keypad.



**KEY-MST-PBP-EU**

Master unit with prox reader.



Auxiliary **Pedestal** Keypads & Prox readers.



**KEY-AUX-PBPK-EU**

Aux pedestal unit with keypad & prox reader.




**KEY-AUX-PBK-EU**

Aux pedestal unit with keypad.



**KEY-AUX-PBP-EU**

Aux pedestal unit with prox reader.



Auxiliary Keypads & Prox readers.



**KEY-AUX-IBPK-EU**

Aux unit with keypad & prox reader.




**KEY-AUX-IBK-EU**

Aux unit with keypad.



**KEY-AUX-IBP-EU**


Aux unit with prox reader.



*All black panels with textured powder coated aluminium hood and gloss acrylic faceplate. Keypad panels have illuminated buttons.*

# PRIME7 6E Multi-Call Station System

Speech Panel



Call up to 3  
Numbers in  
Sequence.



Call Fixed  
Line Phone

**MULTIP2**  
Multiplexor

**GSM**  
Module



Call Mobile/  
Cell Phone



Speech Panel

SIM Card Inside

## Maximum distances



8 METRES MAX



4 METRES MAX



Speech Panel

Multiplexor

**GSM** Module

## Call Panel Options



IMP-CP IMPK-CP



IMP-  
PED-CP IMPK-  
PED-CP



AB-CP ABK-CP



AS-CP ASK-CP

Area code:  
 EU (Europe)  
 US (USA)  
 AU (Australia & NZ)

# i - G A T E

## Advanced GSM Gate Switches



I-GATE-PRIME-EU

I-GATE-1200-EU

GSM gate opener with IOS & Android Apps



Stores up to 1200 numbers for caller ID access.



Stores up to 250 numbers for caller ID access.



Trigger, latch and unlatch gates by SMS or with app.



Auto call feature to schedule outgoing call (prevents SIM card being deactivated).



Activity log feature.



Includes 7 day time clock.



Check stored numbers by SMS.



2 x Volt free momentary relay outputs.



Check if gates are opened or closed!




SMS passcode access for non stored numbers.



Store up to four phone numbers to receive SMS alerts each time the unit is used to grant access.



Program times for the relay(s) to operate automatically.



### Technical Details

Power	12-24v ac/dc (not supplied)
Current	45mA (standby). 200mA (when called)
Weather Rating	IP67
Relay Load	24v ac, 1 amp max
Relay Type	N/C and N/O. Latching & momentary

# CELLCOM *lite*

**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)

## Simple, Effective GSM Intercom

- Calls your home phone and mobiles on roll-over when visitor presses call button.
- Never miss a visitor with mobile calling.
- Works with any standard contract or Pre-Pay GSM Nano SIM card. (sim included UK/IRE only)
- **NEW free** AES Lite app for installer programming.
- Homeowner can use app to trigger gates.



### LITE-IB-EU

All black non keypad panel.



### LITE-IBK-EU

All black panel with blue illuminated keypad.



### LITE-ARC-RBK-EU

All black keypad panel with blue ring illumination.



### LITE-ARC-RSK-EU


Stainless-steel keypad panel with blue ring illumination.

## Technical Details

<b>Dial Out Numbers</b>	3	<b>Relays</b>	1
<b>Permanent Codes</b>	25	<b>Relay Type</b>	N/C and N/O
<b>Permanent Caller ID Numbers</b>	25	<b>Relay Load</b>	2 amps, 24v ac max
<b>Power Consumption</b>	100mA on dial out, 220mA peak demand	<b>Modem Models</b>	4G Europe, 4G USA, 4G AUS/NZ
<b>Power Supply</b>	24v dc (24v 2A dc adaptor included)		

## Home Owner /User App

- Switch site function for programming and navigating multiple sites.
- Program dial out numbers and other related features.
- Speed dial or send SMS to control gates.
- Check stored information and current status of intercom.
- Program multiple keypad codes in one SMS.



Area code:  
EU (Europe)  
US (USA)  
AU (Australia & NZ)

# i-Heat

## GSM CENTRAL HEATING CONTROLLER

I-Heat is a central heating controller which brings you control over your heating and hot water with a touch of a button.





### I-HEAT-EU (4G European GSM Central Heating Controller)

- Control your central heating and hot water from your phone.
- Android & iPhone apps available. Adjustable boost time (up to 2.5 hours). Easy setup and install in 20 minutes.
- SMS confirmation to your phone when active.
- 2 year manufacturer warranty.
- Designed and manufactured in the UK.



Visit [www.iheatglobal.com](http://www.iheatglobal.com) for more information.



# Multicom Classic



Multi Apartment Intercom!



Flush panel options available.

- **Calls up to 1000 apartments from a single SIM card. (3 users per apartment)**
- Visitors can scroll for residents, or enter apartment number to call.
- HD voice with VoLTE\*.
- Programmable via free Android and Iphone app: AES PRO.
- Prox cards, Caller ID, Keypad codes = 250 permanent & time-restricted. (temporary 50).
- Built in time clock for auto opening and closing of gates, barriers or doors in busy periods or for day time operation.
- Do not disturb feature.

\*Requires correct APN to be set and will only be experienced on a VoLTE enabled device.



**NEW AES PRO APP, for programming.**

**Area code:**  
EU (Europe)  
US (USA)  
AU (Australia & NZ)



## MULTI-CL-IBPK-EU

Sleek all black panel, marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate with prox reader. **Blue** illuminated buttons & keypad.



## MULTI-CL-ISPCK-EU

Hooded panel constructed from BS316 marine grade stainless steel with prox reader. White illuminated buttons & keypad.

# Multicom LITE & mini



Welcome to 232 Washington Drive Apartments	
1. Jones	11. Harrington
2. Smith	12. Waters
3. Edens	13. Anderson
4. Murray	14. Boucher
5. Hopper	15. White
6. Hargrove	16. Evans
7. Byers	17. Owens
8. Hermann	18. Brown
9. Redfield	19. Rooney
10. Flintoff	20. Potter

To CALL, enter Apartment number, then press #  
To open, enter door code, then press \*

Welcome to 232 Washington Drive Apartments

 **Installer LOGO**

To CALL, enter Apartment number, then press #  
To open, enter door code, then press \*



Customisable name directory – free template downloadable from our website:  
[www.aesglobalonline.com/gsm-resources](http://www.aesglobalonline.com/gsm-resources)



## MULTI-LITE-FBK-EU

Flush panel option available.

## MULTI-LITE-IBPK-EU

- **Multicom Lite** - 4G LTE capable, GSM multiapartment intercom.
- Display up to 30 family on illuminated directory screen.
- Up to **100 family direct** dialling from the keypad.
- 300 maximum Caller ID numbers (not including visitor CID)
- Prox cards, Caller ID, Keypad codes = 250 permanent & time-restricted. (temporary 50).
- Store visitor codes by APP.
- Do not disturb feature.

**Area code:**  
**EU** (Europe)  
**US** (USA)  
**AU** (Australia & NZ)



Free programming app downloadable from the App Store and Google Play store.

## MULTI-MINI-IBK-EU

- **Multicom mini** - 4G GSM multi-apartment intercom, in imperial finish.
- Up to **20 family** direct dialling from the keypad.
- Features an illuminated nameplate with led indicators and illuminated keypad.





Follow us on social media!



E. sales@aesglobalonline.com

TEL. +44(0)288 639 0693

