

VINTAGE RANGE

The Vintage Flush range has taken inspiration from classical architecture, period doorbells, and art deco influences, combining style with modern technology and materials.



GSM




IP / 4G

Offered in 4 ranges; The Praetorian Guard, Cellcom Prime7 and Multicom Classic.

Available in several colour combinations to complement your gates and doors. The Vintage range will suit converted Victorian townhouses or Georgian mansions to Parisian apartments or period architecture. But equally at home as a centrepiece for a modern entrance.


All units have white illumined buttons & keypad.





Advanced GSM Intercom

Never miss a visitor/caller, this unit calls your home phone or mobile on roll-over when a visitor presses the call button.



Store up to 4 notification phone numbers to receive an SMS (customizable) when relay is triggered etc



Ability to set Do-not-disturb times.




Set automatic gate open & close times.



Trigger, latch and unlatch SMS replies.



FOTA – Upgrade firmware via SMS.



2x Relays.



Intercoms with proximity readers are available.



Issue time-restricted keypad codes.



Antenna.

Works with our multi network AESIM.

aesglobaltelecom.com



DETAILS

| | | | |
|-----------------------------------|-----|-------------------|-------------------------------------|
| Dial Out Numbers | 4 | Relays | 2 |
| Permanent Codes/cards | 250 | Relay Type | N/C and N/O |
| Time Restricted Codes/cards | 250 | Relay Load | 2 amps, 24v ac max |
| Temporary Codes/cards | 50 | Power Consumption | 300mA on dial out, 2amp peak demand |
| Automatic Trigger Events per Week | 50 | Modem Models | 4G EU, 4G USA, 4G AUS/NZ |
| Caller ID Numbers | 250 | Power Supply | 24v dc (24v dc 2A adaptor included) |
| Time Restricted Caller ID Numbers | 250 | Prox model | 125 khz |



AES PRO APP

The ideal app for **installers**, offering the ability to program intercoms across multiple sites and including additional features.






AES HOME APP




The user-friendly option allows the **end user** to program their AES intercom conveniently.

SINGLE BUTTON PANELS



Area code:
EU (Europe)
US (USA)
AU (Australia & NZ)



- 
PRIME7-VFBBK-EU
 Full black powder-coated backplate with a acrylic faceplate.
- 
PRIME7-VFGBK-EU
 Gold powder-coated backplate with a black acrylic faceplate.
- 
PRIME7-VFSBK-EU
 Stainless steel backplate with a black acrylic faceplate.

- 
PRIME7-VFBSK-EU
 Black steel powder-coated backplate with a stainless steel faceplate.
- 
PRIME7-VFGSK-EU
 Gold powder-coated backplate with a stainless steel faceplate.
- 
PRIME7-VFSSK-EU
 Full stainless steel faceplate & backplate.



- 
PRIME7-VFBGK4-EU
 Black powder-coated backplate with a gold powder-coated steel faceplate.
- 
PRIME7-VFGGK-EU
 Full gold powder-coated steel faceplate & backplate.
- 
PRIME7-VFSGK4-EU
 Stainless steel backplate with a gold power coated faceplate.

MULTICOM CLASSIC

Multi Family Intercom

- Calls up to 1000 apartments from a single SIM card. (3 users per apartment)
- Visitors can scroll for residents, or enter apartment number to call.
- HD voice with VoLTE*.
- Prox reader comes as standard.
- Built in time clock for auto opening and closing of gates, barriers or doors in busy periods or for daytime operation.
- Do not disturb feature.

*Requires correct APN to be set and will only be experienced on a VoLTE enabled device.



Programmable with the AES PRO APP.

Works with our multi network AESIM.

aesglobaltelecom.com



DETAILS

| | | | |
|--------------------------------------|------------------------------|-------------------|-------------------------------------|
| Dial Out Numbers per Apartment | 3 per apartment (3000 Total) | Relays | 2 |
| Keypad Codes per Apartment (6 digit) | 1 per apartment (1000 Total) | Relay Type | N/C and N/O |
| Prox Cards/Tags per Apartment | 3 per apartment (3000 Total) | Relay Load | 2 amps, 24v ac max |
| Automatic Trigger Events per Week | 10 | Power Consumption | 310mA on dial out, 2amp peak demand |
| Modem Models | 4G EU, 4G USA, 4G AUS/NZ | Power Supply | 24v dc (24v dc 2A adaptor included) |

VISITOR CODES/CARDS

| | Permanent | Time-restricted | Temporary |
|-------------------------|-----------|-----------------|-----------|
| Visitor Prox Cards | 250 | 250 | 50 |
| Keypad Codes (4 digits) | | | |
| Caller ID | | | |

MULTICOM CLASSIC



MULTI-CL-VFBBPK-EU
Full black powder-coated backplate with a acrylic faceplate.



MULTI-CL-VFGBPK-EU
Gold powder-coated backplate with a black acrylic faceplate.



MULTI-CL-VFSSBK-EU
Stainless steel backplate with a black acrylic faceplate.



MULTI-CL-VFBSBK-EU
Black steel powder-coated backplate with a stainless steel faceplate.



MULTI-CL-VFGSPK-EU
Gold powder-coated backplate with a stainless steel faceplate.



MULTI-CL-VFSSPK-EU
Full stainless steel faceplate & backplate.



MULTI-CL-VFBGPK-EU
Black powder-coated backplate with a gold powder-coated steel faceplate.



MULTI-CL-VFGGPK-EU
Full gold powder-coated steel faceplate & backplate.



MULTI-CL-VFSGPK-EU
Stainless steel backplate with a gold power coated faceplate.

PRAETORIAN GUARD



IP - 4G Video Intercom System



The 4G modem has an access point to the internet via a compatible SIM card*.



Praetorian APP



- **Speak & view your visitors from anywhere in the world.**
- Grant access remotely - Send a command to the gate motor via the app to open your gates etc.
- Optional integrated keypad for access codes – 24-7 / Timed / Temporary.
- Optional integrated proximity for access - Cards/Tags - 24-7 / Timed / Temporary.
- Voicemail - Visitors can leave a video message when unanswered (SD card required).
- Multi-User - Add up to 8 maximum devices per Intercom ID. (incl ADMIN user. 4 maximum for optimal performance.)
- Connect via a 4G Access Point via sim card or WiFi, LAN Cable (Sold Separately) (Dualband WIFI. 2.4 & 5.8G wifi (IEEE 802.11 b/g/n/a/c).
- Volume of external speaker adjustable at the call-point.

* MIN 1.5MB UPLOAD.
 * MIN 1GB PER MONTH DATA (Depending on usage).

*Works with our multi network AESIM. (Data SIM)

aesglobaltelecom.com









| DETAILS | | | |
|-----------------------------|-----|---------------------------|--|
| Permanent Codes/cards | 100 | Relay Type | N/C and N/O |
| Time Restricted Codes/cards | 100 | Relay Load | 2 amps, 24v ac max |
| Temporary Codes/cards | 100 | Power Consumption | 300mA on dial out, 2amp peak demand |
| Event log displays | 100 | Modem Models | 4G Europe, 4G USA, 4G AUS/NZ |
| Unique APP users | 8 | Power Supply | 24v dc (24v dc 2A adaptor included) |
| Relays | 2 | Wifi (Range 2.4 & 5.8ghz) | IEEE 802.11 a/b/g/n/ac |
| | | SD Card | Required to view recorded events (not included). |

PRAETORIAN GUARD




Ordering a IP Wi-Fi kit?
Change product code
4G to IP*.



- 
PRAE-4G-VFBBK-EU
 Full black powder-coated backplate with a acrylic faceplate.
- 
PRAE-4G-VFGBK-EU
 Gold powder-coated backplate with a black acrylic faceplate.
- 
PRAE-4G-VFSBK-EU
 Stainless steel backplate with a black acrylic faceplate.

- 
PRAE-4G-VFBSK-EU
 Black steel powder-coated backplate with a stainless steel faceplate.
- 
PRAE-4G-VFGSK-EU
 Gold powder-coated backplate with a stainless steel faceplate.
- 
PRAE-4G-VFSSK-EU
 Full stainless steel faceplate & backplate.



- 
PRAE-4G-VFBGK-EU
 Black powder-coated backplate with a gold powder-coated steel faceplate.
- 
PRAE-4G-VFGGK-EU
 Full gold powder-coated steel faceplate & backplate.
- 
PRAE-4G-VFSGK-EU
 Stainless steel backplate with a gold power coated faceplate.